L Number	Hits	Search Text	DB	Time stamp
-	1	20020101604.pn.	USPAT; US-PGPUB	2004/07/23 13:07
-	152	709/223.ccls. and @ad<20001103 and @pd>20040206	USPAT; US-PGPUB	2004/07/23 13:11
-	6	(709/223.ccls. and @ad<20001103 and @pd>20040206) and (print$3 NEAR6 (workflow or job or ticket or assign$5))	USPAT; US-PGPUB	2004/07/23 13:31
-	87	358/1.15.ccls. and @ad<20001103 and @pd>20040206	USPAT; US-PGPUB	2004/07/23 13:14
-	3070	((print$3 NEAR6 (workflow or job or ticket or assign$5)) or publish$3) SAME (collator or binder) and @ad<20001103	USPAT; US-PGPUB	2004/07/23 13:33
-	1	6633821.pn.	USPAT; US-PGPUB	2004/07/23 13:38
-	4	("5918988"|"6166822"|"6474881"|"6272483").PN.	USPAT; US-PGPUB	2004/07/23 13:36
-	1	6348971.pn.	USPAT; US-PGPUB	2004/07/23 13:38
-	174	((print$3 or publish$3) NEAR6 (workflow or job or ticket or assign$5)) SAME (collator or binder) and @ad<20001103	USPAT; US-PGPUB	2004/07/23 13:41
-	41499	((print$4 or publish$4) NEAR6 (production or workflow)) or (document NEAR4 publish$3) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:15
-	38641	((print$4 or publish$4) NEAR6 (production or workflow)) or (document NEAR4 publish$3) SAME (bind$3 or collat$4 or wrap$4 or stapl$4) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:17
-	905	((print$4 or publish$4) NEAR6 (production or workflow or document)) NEAR6 (bind$3 or collat$4 or wrap$4 or stapl$4) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:18
-	1095	((print$4 or publish$4) NEAR3 (production or workflow or document or book)) NEAR6 (bind$3 or collat$4 or wrap$4 or stapl$4) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:21
-	5	((print$4 or publish$4) NEAR3 (job or workflow or document or book) NEAR6 (bind$3 or collat$4 or wrap$4 or stapl$4) SAME (lot or (sub adj2 job)) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:24
-	101	(print$3 or publish$3) NEAR4 (assign$5) SAME (bind$4 or stapl$4 or collat$4) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:25
-	0	(assign$4 or schedul$5) NEAR4 (bind$3 and stapl$4 and collat$6) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:49
-	976	(assign$4 or schedul$5) NEAR4 (bind$3 or stapl$4 or collat$6) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:50
-	12	(assign$4 or schedul$5) NEAR4 print$4 NEAR3 (bind$3 or stapl$4 or collat$6) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:58
-	71	(assign$4 or schedul$5) NEAR4 (print$4 and finish$4) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 15:06

BEST AVAILABLE COPY   8/6/04

-	0	((split or separate) NEAR4 (print$3 NEAR3 job$1)) NEAR8 ((sub NEAR3 (lot$1 or job$1)) or (small$3 NEAR3 (job$1 or lot$1))) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 15:08
-	8	((split or separate) NEAR4 (print$3 NEAR3 job$1)) SAME ((sub NEAR3 (lot$1 or job$1)) or (small$3 NEAR3 (job$1 or lot$1))) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 15:16
-	2	(("6418458") or ("6266708")).PN.	USPAT; US-PGPUB	2004/07/26 08:32
-	5	(document NEAR4 publish$3) SAME (print$3 NEAR6 (bind$3 or collat$4 or stapl$4)) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 08:35
-	97	(document NEAR4 process$3) SAME (print$3 NEAR6 (bind$3 or collat$4 or stapl$4)) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 08:46
-	397	separate NEAR8 (bind$3 or collat$5 or stapl$5) NEAR5 (machine or device) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 08:50
-	12	separate NEAR8 (print$3 and (bind$3 or collat$5 or stapl$5)) NEAR5 (machine or device) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:05
-	65	(separate or individual or detach$4 or distribut$4 or unconnect$3) NEAR8 (print$3 and (bind$3 or collat$5 or stapl$5)) NEAR5 (machine or device) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 08:56
-	234	separate NEAR8 (print$3 and (bind$3 or collat$5 or stapl$5)) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:25
-	222	(separate NEAR8 (print$3 and (bind$3 or collat$5 or stapl$5)) and @ad<20001103) not (separate NEAR8 (print$3 and (bind$3 or collat$5 or stapl$5)) NEAR5 (machine or device) and @ad<20001103)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:16
-	0	separate NEAR8 (print$3 and bind$3 and collat$5 and stapl$5) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:26
-	13	separate SAME (print$3 and bind$3 and collat$5 and stapl$5) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:39
-	0	(print NEAR5 shop) and kanban and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:40
-	41	kanban and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:45
-	1184	((print$3 or publish$3) NEAR4 shop) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:47

-	0	((print$3 or publish$3) NEAR4 shop) NEAR5 bind$3 NEAR5 collat$4 NEAR8 stapl$4 and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:47
-	0	((print$3 or publish$3) NEAR4 shop) SAME (bind$3 and collat$4 and stapl$4) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:49
-	63	((print$3 or publish$3) NEAR4 shop) SAME (bind$3 or collat$4 or stapl$4) and @ad<20001103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 09:49